

HONDA

RIDE-ON MOWERS & LAWN TRACTORS



ENGINEERING FOR *Life*

IT'S NOT JUST CLEVER ENGINEERING, IT'S ENGINEERING FOR *Life*

When designing our gardening range, we looked at your life from every angle, and put decades of experience into creating technology that solves problems. Our aim was not only to build the best possible tools for the job, but to create products that are a joy to use and own.



CONTENTS

- 03 FEATURES
- 05 RIDE-ON
- 07 LAWN TRACTORS
- 09 SPECIFICATIONS
- 11 WORLD OF HONDA



05 **HF 1211**



07 **HF 2317**



07 **HF 2417**



07 **HF 2625**



INDUSTRY LEADING TECHNOLOGY

FEATURES

DESIGN FEATURES

Robust ride-on and lawn tractors packed with innovative features to maximise cutting and collection performance and make gardening effortless.



LUXURY STEERING WHEEL AND KNOB

A specially shaped, soft grip steering wheel improves seat access, whilst HF 2625 models include a knob to make turning easier.



SPEED HOLD SYSTEM

Four speed hold options allow you to take your foot off the accelerator and cut at a relaxed, consistent speed.



COLOUR LCD DISPLAY

A bright and easy-to-read LCD panel clearly and concisely displays all the information you need.



LED HEADLIGHTS WITH DAYTIME RUNNING LIGHTS

Powerful LED headlight beams switch on automatically to provide more visibility when you need it.



ERGONOMICALLY DESIGNED SEAT WITH ARMRESTS

A high-back seat with foldable armrests places you in complete comfort whilst you take care of your space.



DEVICE HOLDER

Stay connected with a built-in device holder that keeps your phone safely within reach whilst you are mowing.




USB SOCKET


A handy USB charger, built right into the mower, means you can charge your mobile devices on the move.

KEY TECHNOLOGY


Clever technologies that make it easier than ever to keep your pristine lawn perfectly maintained.



 **VERSAMOW™ SELECTIVE MULCHING SYSTEM**
 Integrated mulching capability means you can mulch, collect or discharge, simply by adjusting a lever.


 **SYNCHRONOUS BLADE CUT**
 Blades have an overlapping cutting area for greater accuracy when mowing and a more consistent cut every time.




 **OPTIFLOW**
 A combination of powerful suction and controlled airflow to significantly boost grass collection performance.

Pro ENGINE PRO SPEC
 Built with steel and cast iron for more robust work.



 **HYDROSTATIC DRIVE**
 For greater accuracy, Hydrostatic Drive gives you smooth, stepless speed control.

 **ELECTRIC GRASS DUMP**
 Press for speedy unloading. Our Electric Grass Dump effortlessly empties your grass bag for you.

MANOEUVRABILITY & EASE OF USE

RIDE-ON

We have designed the HF 1211 to be intuitive to use and easy to operate. From your comfortable seating position you'll find all the important controls within easy reach, so you can cut large areas of grass with the minimum of effort and time. The hydrostatic transmission gives you smooth, variable speed, and the ability to regulate your pace without affecting the blade speed. That way you get a perfect result, whether you're in a hurry or taking your time.

Powered by our 'Pro' spec engines which feature cast iron cylinder sleeves and crankshaft bearings for smooth running and longer engine life, they are easily controlled by a single pedal that controls the hydrostatic forward speed. They are also highly manoeuvrable, with a tight turning circle and excellent visibility which makes cutting around obstacles simple. To save time and effort whilst working, a single, easy to reach lever can empty the grass catcher box from the comfort of the driving seat.



HF 1211 AT A GLANCE

The HF 1211 ride-on mower is designed for larger lawns, making grass cutting effortless with excellent performance and light manoeuvrability.

1
MODEL
OPTION

71cm
CUTTER
DECK

170^L
GRASS BAG
CAPACITY

NO
VERSAMOW™
SELECTIVE
MULCHING



KEY FEATURES



OPTIFLOW



HYDROSTATIC
DRIVE



— **OUTSTANDING PERFORMANCE.
THOUGHTFUL USABILITY.**

HF SERIES

Cutting-edge technology packs this powerful range with features that prove every tiny detail has been considered. From helpful innovations like smooth and consistent Hydrostatic Drive and automatic LED headlights to a choice of unique Optiflow grass collection or clever Versamow™ Selective Mulching. Ergonomically designed seats and a luxury-feel steering wheel join a bright

LCD dashboard, device holder and USB charger to ensure you are always comfortable and connected. Whilst the addition of a 350 litre* grass bag with electric emptying capability and lawn-protecting tyre treads allow you to smoothly navigate gardens, sports grounds and parklands, delivering an impressive cut every time.



HF 2317 AT A GLANCE

The HF 2317 is a durable lawn tractor that gives an accurate cut every time. Featuring powerful Hydrostatic Drive for constant speed, a 280 litre grass bag and Optiflow technology which improves air flow and enhances collection performance, an effective and reliable option.

1
MODEL
OPTION

280^L
GRASS BAG
CAPACITY

92^{cm}
CUTTER
DECK

NO
VERSAMOW™
SELECTIVE
MULCHING



HF 2417 AT A GLANCE

Our HF 2417 is the perfect all-round lawn tractor. A state-of-the-art LCD display and 102 cm anti-scalp cutter deck join our fan-powered Optiflow system that enhances collection, and synchronised blades that make mowing even more accurate. All the comfort and control you could ever want from a tractor.

3
MODEL
OPTIONS

300^L
GRASS BAG
CAPACITY

102^{cm}
CUTTER
DECK

YES
VERSAMOW™
SELECTIVE
MULCHING



HF 2625 AT A GLANCE

The HF 2625 is an innovative lawn tractor full of features that enhance cutting performance and rider comfort. This includes a speed hold system, adjustable seating and an anti-scalp cutter deck, using the GXV 690 Pro Spec engines.

2
MODEL
OPTIONS

350^L
GRASS BAG
CAPACITY

122^{cm}
CUTTER
DECK

YES
VERSAMOW™
SELECTIVE
MULCHING

KEY FEATURES



VERSAMOW™
SELECTIVE
MULCHING
SYSTEM



OPTIFLOW



HYDROSTATIC
DRIVE



SYNCHRONOUS
BLADE

Pro

ENGINE
PRO SPEC



ELECTRIC
GRASS DUMP



Features will vary depending on model, please refer to pages 09-10 for full specifications.

SPECIFICATIONS

RIDE-ON

LAWN TRACTORS

HF 1211 HE



HF 2317 HME



HF 2417 HBE



HF 2417 HME



	HF 1211 HE	HF 2317 HME	HF 2417 HBE	HF 2417 HME
Cutter deck size (cm)	71	92	102	102
Engine	OHV 4-stroke	OHC V-twin 4-stroke	OHC V-twin 4-stroke	OHC V-twin 4-stroke
Engine displacement (cc)	337	530	530	530
Engine model	GXV 340	GCV 530	GCV 530	GCV 530
Engine rated power (KW/rpm)*	6.4/3,100	9.7/2,800	9.7/2,800	9.7/2,800
Fuel tank capacity (l)	3.6	5.4	5.4	8.5
Guaranteed sound power level dB(A)**	100	100	100	100
Transmission type	Variable Hydrostatic	Variable Hydrostatic	Variable Hydrostatic	Variable Hydrostatic
Driving speed (kh/h)	0-8.0	0-8.2	0-8.2	0-8.2
Optiflow	-	Yes	Yes	Yes
Number of blades	1	2	2	2
Blade positioning	-	Asynchronous	Synchronous	Synchronous
Blade brake clutch	Mechanical	Electromagnetic	Electromagnetic	Electromagnetic
Grass bag dumping	Manual	Manual	Manual	Manual
Positions & cutting height adjustment (mm)	7 (30-80)	7 (30-80)	7 (29-90)	7 (29-90)
Grass bag capacity (l)	170	280	300	300
Mulching (Versamow™ Selective Mulching)	-	-	-	Yes
Mulching kit	o	o	o	-
Rear deflector	-	o	o	o
Soft grip steering wheel	-	-	Yes	Yes
Colour LCD display	-	-	Yes	Yes
Seat with armrests	-	-	-	Yes
Speed Hold (four steps)	-	-	-	Yes
LED headlights	-	-	-	Yes
USB charging socket	-	-	-	Yes
Mobile device holder	-	-	-	Yes
Dry weight (kg)	172	218	236	238
Dimensions (L x W x H (mm))***	1,863 x 760 x 1,100	2,440 x 970 x 1,230	2,440 x 1,060 x 1,230	2,440 x 1,060 x 1,230
Front / rear tyres (diameter x width - rim (inch))	11 x 4.4 / 15 x 6.6	13 x 5.0-6 / 18 x 8.5-8	15 x 6.0-6 / 18 x 8.5-8	15 x 6.0-6 / 18 x 8.5-8
Turning radius (m)	1.4	1.8	1.8	1.8
Tow hitch	-	o	o	o

*The power rating of engines in this document is the net power output tested on a production engine and measured in accordance with SAE J1349 at 3,600 rpm.

**Guaranteed sound power level (in accordance with directives 2000/14/EC, 2005/88/EC).

***Dimensions: L - including grass bag, W - including cutter deck.

Model availability is dependant on country, do not hesitate to ask your local Honda dealer.

LAWN TRACTORS

HF 2417 HTE



HF 2625 HME



HF 2625 HTE



102	122	122
OHC V-twin 4-stroke	OHV V-twin 4-stroke	OHV V-twin 4-stroke
530	690	690
GCV 530	GXV 690	GXV 690
9.7/2,800	13.9/2,800	13.9/2,800
8.5	8.5	8.5
100	105	105
Variable Hydrostatic	Variable Hydrostatic	Variable Hydrostatic
0-8.2	0-8.2	0-8.2
Yes	Yes	Yes
2	2	2
Synchronous	Synchronous	Synchronous
Electromagnetic	Electromagnetic	Electromagnetic
Electric	Manual	Electric
7 (29-90)	7 (29-90)	7 (29-90)
300	350	350
Yes	Yes	Yes
-	-	-
o	o	o
Yes	Yes	Yes
Yes	Yes	Yes
Yes	Yes	Yes
Yes	Yes	Yes
Yes	Yes	Yes
Yes	Yes	Yes
Yes	Yes	Yes
Yes	Yes	Yes
249	261	270
2,440 x 1,060 x 1,230	2,445 x 1,260 x 1,230	2,445 x 1,260 x 1,230
15 x 6.0-6/18 x 8.5-8	15 x 6.0-6/18 x 8.5-8	15 x 6.0-6/18 x 8.5-8
1.8	1.6	1.6
o	o	o

o Available as an optional extra - Not available





WORLD OF HONDA POWER PRODUCTS

Every innovative Honda product inspires the next, as we deliver on our commitment to making powerful equipment that is engineered for life. From the comfort and intuitive control of our lawn tractors to the complete autonomy of our Miimo robotic mowers... and beyond. We've used our experience to create technologically advanced Snowthrowers that make clearing snow as effortless, efficient and reliable as possible and dependable and dynamic marine engines that have been refined over 54 years to deliver outstanding efficiency and enjoyable performance.

Contact your dealer for details.





You deserve complete confidence that you've made the right choice, long after you've made the purchase. That's why we appoint our Honda Authorised Dealers with as much care as we build into our products.

Look for the seal of quality when you buy your Honda, or call **0345 200 8000**** and we'll find the closest to you.



Sales

Our Authorised Dealers not only feature a comprehensive display of Honda products to see and touch, but they know our product range inside-out. Every one follows an extensive Honda training programme with regular refresher courses – so you can trust in their valuable advice and experience to help you choose the product that's just right for you and your needs.



Service

As well as offering the highest levels of after-sales service, our Authorised Dealers' factory-trained technicians perform a full Pre-Delivery Inspection (PDI) on every machine, and are fully equipped to keep your product in peak condition with cost-effective servicing. Of course, you can also be assured that only high quality, genuine Honda parts are used, with access to our 24hr parts delivery service for fast and efficient turnaround.



Expertise

Our Authorised Dealers are true experts in their field, often with years of first-hand experience under their belt. In fact, their knowledge and experience plays an important role in making sure that our Research and Development team is given feedback from our customers, so we can ensure that new and improved models continue to meet your future needs too.

Unrivalled quality, for peace of mind

There's a simple reason why you'll see so many old Honda products still in use. **Ours are built better, to last longer.**

That's not just an idle promise. It's fact. Our enviable reputation for durability and reliability is supported by our cast iron warranty, covering both parts and labour. Our warranty maintains the same value throughout its lifetime too – meaning the last day of cover is exactly the same as the first: solid and dependable.



Ride-ons & Lawn Tractors

Domestic Use



Ride-ons & Lawn Tractors

Professional Use

*Subject to an annual service.

**Charged at local rates from landlines.



Honda (UK) Power Equipment

470 London Road, Slough, Berkshire, SL3 8QY

Honda Contract Centre 0845 200 8000

www.honda.co.uk

These specification details do not apply to any particular product which is supplied or offered for sale. The manufacturer reserves the right to vary their specification, including colours, with or without notice at such times in such manner as they think fit. Major as well as minor changes may be involved. Every effort, however, is made to ensure the accuracy of the particulars contained in this brochure. Consult the Dealer with whom your order is placed for details of the specification of any particular product. This publication shall not constitute in any circumstances whatsoever an offer by the Company to any person. All sales are made by the Distributor or Dealer concerned subject to and with the benefit of the standard Conditions of Sale and Warranty given by the Distributor. While efforts are made to ensure specification accuracy, brochures are prepared and printed several months in advance of distribution and consequently cannot always immediately reflect either changes in specification or in some isolated cases the provision of a particular feature. Customers are always advised to discuss specific details with the supplying Dealer, especially if a selection is dependent upon one of the features advertised.