






MARKET ADDRESS INFO HERE

These specification details do not apply to any particular product which is supplied or offered for sale. The manufacturer reserves the right to vary their specification, including colours, with or without notice at such times in such manner as they think fit. Major as well as minor changes may be involved. Every effort, however, is made to ensure the accuracy of the particulars contained in this brochure. Consult the Dealer with whom your order is placed for details of the specification of any particular product. This publication shall not constitute in any circumstances whatsoever an offer by the Company to any person. All sales are made by the Distributor or Dealer concerned subject to and with the benefit of the standard Conditions of Sale and Warranty given by the Distributor. While efforts are made to ensure specification accuracy, brochures are prepared and printed several months in advance of distribution and consequently cannot always immediately reflect either changes in specification or in some isolated cases the provision of a particular feature. Customers are always advised to discuss specific details with the supplying Dealer, especially if a selection is dependent upon one of the features advertised.





IT'S NOT JUST CLEVER ENGINEERING, IT'S ENGINEERING FOR Life


INTRO

When designing our gardening range, we looked at your life from every angle, and put decades of experience into creating technology that solves problems. Our aim was not only to build the best possible tools for the job, but to create products that are a joy to use and own.



CONTENTS

- 03 **CORDLESS FEATURES**
- 05 **CORDLESS HANDHELDS**
- 07 **PETROL FEATURES**
- 09 **PETROL HANDHELDS**
- 13 **SPECIFICATIONS**





9 MODELS



3 MODELS



2 MODELS



1 MODEL



CORDLESS RANGE





HONDA UNIVERSAL BATTERY

The Honda Li-ion battery can power any tool in our cordless range and recharge takes only minutes. Simply switch our efficient battery to another cordless Honda tool to enjoy the constant, unwavering performance, and significantly higher runtime, of our Thermo Smart technology in every single part of your garden.

DESIGNED WITH PROFESSIONALS IN MIND

No cords, no compromises, nothing holding you back, this hardworking range has everything you need to get the job done well. Each efficient cordless tool works with our high performing Universal Battery System. Recharge takes minutes, and secure battery casing ensures safe all-weather use*.

*Only applies when used in combination with the 9,0 Ah DPW3690XA battery.



INDUSTRY LEADING TECHNOLOGY

FEATURES



PROFESSIONAL POWER

Our robust, rapid-charging 9,0 Ah batteries can withstand a drop of 2 metres. Clever Thermo Smart technology means they deliver high power consistently throughout their charge

COMFORTABLE HANDLING

Extensive gardening tasks call for increased comfort. Our cordless brushcutter features an adjustable harness, while our leaf blower offers a belt-mounted battery. Both tools feature ergonomic handles to balance weight distribution and enhance ease-of-use.



HONDA UNIVERSAL BATTERY SYSTEM

The most advanced battery system in its class. Our powerful interchangeable batteries can be switched quickly and easily into cordless tools from the entire Honda range.

FULLY WEATHERPROOF

We know you don't want to stop when the rain starts to fall. That's why our cordless handheld tools have IPX4 certification for water-resistance* making them safe to use in all weathers.

*Achieves this rating only when used with the 9,0 Ah DPW3690XA battery.



BUILT WITH PROFESSIONALS IN MIND

Performance and durability from start to finish. Our handheld tools were built to satisfy the demands of professional gardeners everywhere.

CORDLESS BATTERY OPTIONS

A selection of Honda universal Li-ion batteries for the cordless range.



36V 4,0 Ah DP3640XA



36V 6,0 Ah DP3660XA



36V 9,0 Ah DPW3690XA

CHARGING SPECIFICATION								
MODELS	CHARGING CURRENT (AMPS)	CHARGING TIME TO 80% (MINS)	CHARGING TIME TO 100% (MINS)	CHARGER WEIGHT				
36V 4,0 Ah	8	25	35	0,82 kg				
36V 6,0 Ah	8	35	55	0,82 kg				
36V 9,0 Ah	8	49	77	0,82 kg				

Batteries and chargers sold separately

POWER YOU CAN COUNT ON

BRUSHCUTTER

With enhanced comfort and continuous long-lasting performance, our cordless brushcutter was designed for effortless all-day use. Powered by a 36 V brushless EC motor and the incredible sustainable performance of the Honda Li-ion battery, you don't have to stop work until you choose to. Our new lightweight design boasts an ergonomic handle and adjustable harness to help you tackle even the toughest undergrowth with ease. Whilst the reduced noise and vibration levels of our battery-powered tools mean that you can start early or finish late to get the job done. As always, safety is paramount, in the case of a jam the blades release automatically, preventing the motor from stalling, and IPX4 certification* means that a wet weather forecast is nothing to worry about.



MAINTENANCE MADE EASY

HEDGETRIMMER & LEAF BLOWER

Featuring a brushless EC motor and IPX4 certification for water-resistance*, our cordless hedgetrimmer and leaf blower are made for use all day long - and all year-round. Our hedgetrimmer has hardened Swiss steel blades that seamlessly power through stubborn foliage, and a rotatable rear handle that allows you to work comfortably at any angle. With interchangeable nozzles, variable speed settings and a belt-mounted battery, our leaf blower makes light work of blasting away dry, wet or even heavy debris.





PETROL RANGE



HONDA 4-STROKE ENGINE

Our compact Honda 4-stroke GX25 and GX35 engines offer all the performance you'd expect from larger engines and strong torque across the entire rpm. With minimal vibration levels, low emissions and the added convenience of no longer needing to pre-mix oil and fuel, they are quiet, effective and easy to use.



WORKS AS HARD AS YOU

Designed around our renowned 4-stroke engine technology, our petrol range is powerful enough to take on the most challenging tasks in the toughest environments. Reliable, durable and efficient to run, the petrol engines that power our compact and easy-to-use handheld products, have satisfied millions of customers around the globe.



INDUSTRY LEADING TECHNOLOGY

FEATURES



DECOMPRESSION SYSTEM

The GX25 and GX35 are equipped with a mechanical decompression system and super-lightweight flywheel to ensure their engines start smoothly, with minimal effort, every time.

360° LUBRICATION

For flexible usage and storage, a rotary slinger pumping lubrication system provides a constant flow of lubrication whatever the position of the engine.



COMPACT DESIGN

For flexible usage and storage, a rotary slinger pumping lubrication system provides a constant flow of lubrication whatever the position of the engine.



HIGH FUEL EFFICIENCY

An optimised fuel tank and low fuel consumption, of 0,54 litre/ hour at maximum power, means these efficient engines offer impressively long running time between refills.

READY WHEN YOU ARE

BRUSHCUTTER

Our compact and reliable brushcutter range includes a manoeuvrable backpack brushcutter and a bent shaft brushcutter which is designed to reach tricky spots. The UMK 450 delivers constant power in the most demanding environments. Powered by our 4-stroke 2hp GX50 engine, and featuring an improved harness, anti-vibration system* and ergonomically designed grip, it's easy to start and a joy to use. *Specific to UMK 450 XE.




— THE POWER TOOL THAT DOES IT ALL

VERSATOOLTM

Our innovative, multipurpose Versatool™ can take on a huge range of garden tasks. With eight interchangeable push-andclick attachments, from pruners and linecutters to blowers and cultivators, and the choice of a GX25 or GX35 4-stroke engine to ensure a long lifespan, this is the ultimate garden power tool.





- CUT WITH EASE

HEDGETRIMMER

When it comes to the pristine maintenance of large parks and gardens, Honda hedgetrimmers are indispensable. Our 60 or 75 cm double-blade works quickly and efficiently to give you more control and make accurate trimming effortless. Ergonomic controls pair with an adjustable handle and low vibration frame to ensure this 4-stroke powered garden tool is as comfortable as it is reliable.





CLEAR WITH PRECISION

LEAF BLOWER

Our compact leaf blower is powered by the unrivalled Honda GX25 micro-engine that starts easily and runs smoothly with very little noise. Made for the year-round upkeep of gardens, parks, stadiums and streets, airflow speeds of 600 m 3 /h clear heavy and wet debris with ease. Cruise control maintains engine speed allowing you to work comfortably without holding onto the trigger.






SPECIFICATIONS





[△]Products internally tested under no load





BRUSHCUTTERS UMK 425 LE **UMK 425 UE** UMK 435 LE **UMK 435 UE** UMR 435 T

Engine	4-stroke OHC	4-stroke OHC	4-stroke OHC	4-stroke OHC	4-stroke OHC	
Engine displacement (cc)	25	25	35	35	35	
Engine model	GX25T	GX25T	GX35T	GX35T	GX35T	
Engine net power (kW/rpm)	0,72/7.000	0,72/7.000	1,0/7.000	1,0/7.000	1,0/7.000	
Fuel tank capacity (litres)	0,58	0,58	0,63	0,63	0,63	
Engine oil capacity (litres)	0,08	0,08	0,10	0,10	0,10	
Transmission type	Low vibration centrifugal clutch	Centrifugal clutch				
Shaft type	Straight	Straight	Straight	Straight	Flexible	
Handle	D-loop	Bike type	D-loop	Bike type	D-loop	
Grass cutter attachments: Tap & go nylon head	•	•	•	•	•	
Grass cutter attachments: 3 tooth blade	•	•	•	•	•	
Hedgetrimmer attachment	0	-	0	-	-	
Pruner attachment	0	-	0	-	-	
Optional attachments	4 tooth blade	4 tooth blade and saw blade	4 tooth blade	4 tooth blade and saw blade	4 tooth blade	
Harness	Double shoulder comfort	Double shoulder comfort	Double shoulder comfort	Double shoulder comfort	Double shoulder comfort	
Noise dB(A)*	109	109	109	109	111	
Dimensions (L x W x H (mm))	1.859 x 384 x 252	1.859 x 671 x 517	1.870 x 384 x 258	1.870 x 671 x 521	2.810 x 375 x 565	
Dry weight (kg)	5,98	6,28	7,22	7,53	10,70	
Additional feature	Heavy duty transmission head	Heavy duty transmission head	Heavy duty transmission head	Heavy duty transmission head	-	

^{**}Guaranteed sound power level in accordance with 2000/14/EC - 2005/88/EC ***Value for nylon trimming line supplied as standard with the product

SPECIFICATIONS

BRUSHCUTTERS VERSATOOL™ UMK 450 LE UMK 450 UE **UMK 450 XE UMS 425** UMC 425 E UMC 435 E 4-stroke OHC 4-stroke OHC 4-stroke OHC 4-stroke OHC 4-stroke OHC Engine 4-stroke OHC Engine displacement (cc) 47,9 47,9 47,9 25 25 35 GX50 GX50 GX50 GX25T GX25T GX35T Engine model 1,47/7.000 1,47/7.000 1,47/7.000 0,72/7.000 0,72/7.000 1,0/7.000 Engine net power (kW/rpm) 0,63 0,63 0,63 0,58 0.58 0,63 Fuel tank capacity (litres) 0,13 0,13 0,13 0,08 0,08 0,10 Engine oil capacity (litres) Low vibration Low vibration Low vibration Centrifugal Low vibration Low vibration Transmission type centrifugal clutch centrifugal clutch centrifugal clutch centrifugal clutch centrifugal clutch Shaft type Straight Straight Bent Bent Straight Straight D-loop Bike type Bike type D-loop D-loop Handle D-loop Grass cutter attachments: Tap & go nylon head Grass cutter attachments: 3 tooth blade See table on next page for Hedgetrimmer attachment attachment specification Pruner attachment 4 tooth blade 4 tooth blade Optional attachments 4 tooth blade and saw blade and saw blade Double shoulder Double shoulder Double shoulder Harness Single strap Double strap EXTRA comfort EXTRA comfort FXTRA comfort 108 108 108 109 Noise dB(A)* 1.851 x 384 x 262 1.851 x 671 x 521 1.820 x 671 x 590 1.708 x 223 x 413 1.135 x 315 x 245 1.145 x 325 x 255 Dimensions (L x W x H (mm)) 7,80 8,10 5,49 5,10 Dry weight (kg) Anti-vibration / Heavy duty Heavy duty Additional feature transmission head transmission head transmission head Heavy duty Joint system Joint system



HEDGETRIMMERS

LEAF BLOWER











0	· Jan			
4-stroke OHC	4-stroke OHC	4-stroke OHC	4-stroke OHC	
25	25	25	25	
GX25T	GX25T	GX25T	GX25T	
0,72/7.000	0,72/7.000	0,72/7.000	0,72/7.000	
0,58	0,58	0,58	0,58	
0,08	0,08	0,08	0,08	
Centrifugal clutch	Centrifugal clutch	Centrifugal clutch	-	
Dual	Dual	Single	-	
580	720	720	-	
36	36	36	-	
-	-	-	600	
-	-	-	70	
104	104	104	102	
1.080 x 312 x 259	1.220 x 312 x 259	1.125 x 310 x 259	335 x 265	
6,30	6,60	5,80	4,50	
180° adjustable handle	180° adjustable handle	Clipping collector guard	Adjustable air flow	
	4-stroke OHC 25 GX25T 0,72/7.000 0,58 0,08 Centrifugal clutch Dual 580 36 - - 104 1.080 x 312 x 259 6,30	4-stroke OHC 25 25 GX25T GX25T 0,72/7.000 0,58 0,08 Centrifugal clutch Dual Dual 580 720 36 - - 104 1.080 x 312 x 259 6,30 6,60	4-stroke OHC 4-stroke OHC 4-stroke OHC 25 25 25 GX25T GX25T GX25T 0,72/7.000 0,72/7.000 0,72/7.000 0,58 0,58 0,58 0,08 0,08 0,08 Centrifugal clutch Centrifugal clutch Centrifugal clutch Dual Dual Single 580 720 720 36 36 36 - - - - - - 104 104 104 1080 x 312 x 259 1,220 x 312 x 259 1,125 x 310 x 259 6,30 6,60 5,80	

	VERSATOOL™ ATTACHMENTS										
	POWERHEAD 25 CC	POWERHEAD 35 CC	BRUSHCUTTER	CULTIVATOR	EXTENSION Long	EXTENSION SHORT	HEDGETRIMMER Long	HEDGETRIMMER SHORT	PRUNER	BLOWER	EDGER
Dimensions (L x H x W (mm))	1.708 x 310 x 245	1.145 x 315 x 258	770 x 400 x 210	795 x 235 x 255	1.060 x 65 x 52	559 x 65 x 52	1.400 x 120 x 120	900 x 120 x 120	1.070 x 140 x 88	860 x 264 x 190	695 x 330 x 145
Dry weight (kg)	5,6	6,4	1,85	3,3	1,1	0,7	2,6	2,35	2,1	2,1	2,05

[•] Standard • Optional - Not available

^{*}Guaranteed sound power level (in accordance with 2.000/14/EC Directive) in dB(A). Model availability is dependent on country, do not hesitate to ask your local Honda dealer.



WORLD OF HONDA POWER PRODUCTS

Every innovative Honda product inspires the next, as we deliver on our commitment to making powerful equipment that is engineered for life. From the comfort and intuitive control of our lawn tractors to the complete autonomy of our Milmo robotic mowers... and beyond. We've used our experience to create technologically advanced Snowthrowers that make clearing snow as effortless, efficient and reliable as possible and dependable and dynamic marine engines that have been refined over 54 years to deliver outstanding efficiency and enjoyable performance.

Contact your dealer for details.





HEADING FOR MARKET USE